



License efficiently. Regulate fairly.

[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [FBC Staff](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



**Product Approval**  
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

▶ EMERGENCY  
MANAGEMENT

▶ OFFICE OF THE  
SECRETARY

FL #	FL15125
Application Type	New
Code Version	2010
Application Status	Applied For
Comments	
Archived	
Product Manufacturer	ETO Doors
Address/Phone/Email	1340 East Sixth Street Los Angeles, CA 90021 (213) 622-2003 fbc@buildingdrops.com
Authorized Signature	Tal Hassid fbc@buildingdrops.com
Technical Representative	
Address/Phone/Email	
Quality Assurance Representative	
Address/Phone/Email	
Category	Exterior Doors
Subcategory	Swinging Exterior Door Assemblies
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer Evaluation Report - Hardcopy Received
Florida Engineer or Architect Name who developed the Evaluation Report	Alexis Spyrou, P.E.
Florida License	PE-68101
Quality Assurance Entity	National Accreditation & Management Institute,
Quality Assurance Contract Expiration Date	12/31/2014
Validated By	Locke Bowden Validation Checklist - Hardcopy Received
Certificate of Independence	<a href="#">FL15125_R0_COI_COI_ETO_signed_and_cert.pdf</a>
Referenced Standard and Year (of Standard)	<b><u>Standard</u></b> <b><u>Year</u></b>
	TAS 201 1994
	TAS 202 1994
	TAS 203 1994

Equivalence of Product Standards  
Certified By

Sections from the Code

Product Approval Method

Method 1 Option D

Date Submitted

01/20/2012

Date Validated

### Summary of Products

FL #	Model, Number or Name	Description
15125.1	Wood Impact Rated	Glazed Outswing Doors
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> +70/-70 <b>Other:</b> MAX. FRAME: 98.50" X 97.25" MAX. PANEL: 49" X 95.50" RATED FOR WATER INFILTRATION REQUIREMENTS AT THE DESIGN PRESSURE NOTED, SEE DRAWING ETO002 FOR FURTHER DETAILS & LIMITS OF USE		<b>Installation Instructions</b> <a href="#">FL15125_R0_II_ET0002_R1_SS.pdf</a> Verified By: Alexis Spyrou, P.E. Florida P.E. 68101 Created by Independent Third Party: Yes <b>Evaluation Reports</b> <a href="#">FL15125_R0_AE_PER_877.pdf</a> Created by Independent Third Party: Yes
15125.2	Wood Impact Rated	Opaque Outswing Doors
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> +60/-60 <b>Other:</b> MAX. FRAME: 98.50" X 97.25" MAX. PANEL: 49" X 95.50" RATED FOR WATER INFILTRATION REQUIREMENTS AT THE DESIGN PRESSURE NOTED, SEE DRAWING ETO003 FOR FURTHER DETAILS & LIMITS OF USE		<b>Installation Instructions</b> <a href="#">FL15125_R0_II_ET0003_sealed_cert.pdf</a> Verified By: Alexis Spyrou, P.E. Florida P.E. 68101 Created by Independent Third Party: Yes <b>Evaluation Reports</b> <a href="#">FL15125_R0_AE_PER_878.pdf</a> Created by Independent Third Party: Yes
15125.3	Wood Impact Rated	Glazed Inswing Doors
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> N/A <b>Other:</b> MAX. FRAME: 98.50" X 97.25" MAX. PANEL: 49" X 94.50" NOT RATED FOR WATER INFILTRATION REQUIREMENTS AT THE DESIGN PRESSURE NOTED ON ETO004, SEE DRAWING ETO004 FOR DESIGN PRESSURE LIMITS & LIMITS OF USE		<b>Installation Instructions</b> <a href="#">FL15125_R0_II_ET0004_R1_SS.pdf</a> Verified By: Alexis Spyrou, P.E. Florida P.E. 68101 Created by Independent Third Party: Yes <b>Evaluation Reports</b> <a href="#">FL15125_R0_AE_PER_879.pdf</a> Created by Independent Third Party: Yes
15125.4	Wood Impact Rated	Opaque Inswing Doors
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> Yes <b>Design Pressure:</b> +70/-70 <b>Other:</b> MAX. FRAME: 98.50" X 97.25" MAX. PANEL: 49" X 94.50" NOT RATED FOR WATER INFILTRATION REQUIREMENTS AT THE DESIGN PRESSURE NOTED, SEE DRAWING ETO005 FOR FURTHER DETAILS & LIMITS OF USE		<b>Installation Instructions</b> <a href="#">FL15125_R0_II_ET0005_sealed_cert.pdf</a> Verified By: Alexis Spyrou, P.E. Florida P.E. 68101 Created by Independent Third Party: Yes <b>Evaluation Reports</b> <a href="#">FL15125_R0_AE_PER_880.pdf</a> Created by Independent Third Party: Yes

15125.5	Wood Non-Impact Rated	Glazed Outswing Doors
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> +70/-70 <b>Other:</b> MAX. FRAME: 98.50" X 97.25" MAX. PANEL: 49" X 95.50" RATED FOR WATER INFILTRATION REQUIREMENTS AT THE DESIGN PRESSURE NOTED, SEE DRAWING ETO006 FOR FURTHER DETAILS & LIMITS OF USE		<b>Installation Instructions</b> <a href="#">FL15125_R0_II_ETO006_R1_SS.pdf</a> Verified By: Alexis Spyrou, P.E. Florida P.E. 68101 Created by Independent Third Party: Yes <b>Evaluation Reports</b> <a href="#">FL15125_R0_AE_PER_881.pdf</a> Created by Independent Third Party: Yes
15125.6	Wood Non-Impact Rated	Glazed Inswing Doors
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> N/A <b>Other:</b> 98.50" X 97.25" MAX. PANEL: 49" X 94.50" NOT RATED FOR WATER INFILTRATION REQUIREMENTS AT THE DESIGN PRESSURE NOTED ON ETO007, SEE DRAWING ETO007 FOR DESIGN PRESSURE LIMITS & LIMITS OF USE		<b>Installation Instructions</b> <a href="#">FL15125_R0_II_ETO007_R1_SS.pdf</a> Verified By: Alexis Spyrou, P.E. Florida P.E. 68101 Created by Independent Third Party: Yes <b>Evaluation Reports</b> <a href="#">FL15125_R0_AE_PER_882.pdf</a> Created by Independent Third Party: Yes
15125.7	Wood Non-Impact Rated	Opaque Outswing Doors
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> +60/-60 <b>Other:</b> MAX. FRAME: 98.50" X 97.25" MAX. PANEL: 49" X 95.50" RATED FOR WATER INFILTRATION REQUIREMENTS AT THE DESIGN PRESSURE NOTED, SEE DRAWING ETO008 FOR FURTHER DETAILS & LIMITS OF USE		<b>Installation Instructions</b> <a href="#">FL15125_R0_II_ETO008_sealed_cert.pdf</a> Verified By: Alexis Spyrou, P.E. Florida P.E. 68101 Created by Independent Third Party: Yes <b>Evaluation Reports</b> <a href="#">FL15125_R0_AE_PER_883_sealed_cert.pdf</a> Created by Independent Third Party: Yes
15125.8	Wood Non-Impact Rated	Opaque Inswing Doors
<b>Limits of Use</b> <b>Approved for use in HVHZ:</b> Yes <b>Approved for use outside HVHZ:</b> Yes <b>Impact Resistant:</b> No <b>Design Pressure:</b> +70/-70 <b>Other:</b> MAX. FRAME: 98.50" X 97.25" MAX. PANEL: 49" X 94.50" NOT RATED FOR WATER INFILTRATION REQUIREMENTS AT THE DESIGN PRESSURE NOTED, SEE DRAWING ETO009 FOR FURTHER DETAILS & LIMITS OF USE		<b>Installation Instructions</b> <a href="#">FL15125_R0_II_ETO009_sealed_cert.pdf</a> Verified By: Alexis Spyrou, P.E. Florida P.E. 68101 Created by Independent Third Party: Yes <b>Evaluation Reports</b> <a href="#">FL15125_R0_AE_PER_884.pdf</a> Created by Independent Third Party: Yes

[Back](#)    [Next](#)

[Contact Us :: 1940 North Monroe Street, Tallahassee FL 32399](#)

The State of Florida is an AA/EEO employer. [Copyright 2007-2010 State of Florida.](#) :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, e-mail addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions regarding DBPR's ADA web accessibility, please contact our Web Master at [webmaster@dbpr.state.fl.us](mailto:webmaster@dbpr.state.fl.us).

**Product Approval Accepts:**



